Formalizing MultiWords as Catenae in a Treebank and in a Lexicon

Kiril Simov and Petya Osenova IICT-BAS

PARSEME Meeting, Malta, 19-20 March 2015



Representation in the Treebank (CONLL format)

No	Wf	Le	POS	ExPOS	GramFeat	Head	Rel	Catena
1	Te	те	Р	Рр	num=pll	3	subj	_
					case=nom			
2	си	си	Р	Рр	form=possesive	23	clitic	<i>c</i> ₁
3	затварят	затварям	V	Vpi	num=pll	0	Root	<i>c</i> ₁
					pers=3			
4	очите	OKO	N	Nc	num=pll	3	obj	<i>c</i> ₁
					def=y			
5	пред	пред	R	R	_	3	indobj	_
6	истината	истина	N	Nc	num=sgl	5	prepobj	_
					def=y			



Representation in the Lexicon

[form: < затварям си очите > catena:

No	Wf	Le	POS	ExPOS	GramFeat	Head	Rel
1	_	затварям	V	Vpi	_	0	CRoot
2	СИ	СИ	Р	Рр	form=possesive	e 1	clitic
3	очите	OKO	N	Nc	number=pll	1	obj
					definite-		
					ness=y		

semantics:

No1: { run-away-from_rel(e, x_0, x_1), fact(x_1), [1](x_1) }

valency:

No1: < :indobj: x/Prep :prepobj: y/N[1] $|| x \in \{ пред, за \} >$

